The 26th International Conference on Accelerators and Beam Utilizations

Contribution ID: 54

Type: Poster

## 4GSR Storage Ring Permanent Magnet Dipole(LGBM)

Thursday, November 14, 2024 1:00 PM (1h 30m)

The 4GSR storage ring in South Korea has an electron energy of 4 GeV and is composed of 28 cells. Each cell contains 4 longitudinal gradient bending magnets (LGBMs), with a total of 112 LGBMs arranged in the ring. All LGBMs are manufactured based on Sm2Co17 permanent magnets, requiring approximately 4 tons of permanent magnet material. Sm2Co17 was selected for its higher temperature stability compared to NdFeB, and the design also includes additional temperature compensation features. The magnetic field of the LGBM varies from 0.15 T to 0.73 T along a distance of approximately 2 meters in the electron beam path. Each LGBM consists of 5 independent dipoles, with different sizes and magnetic fields. This paper focuses on the parameters and mechanical design details of the LGBMs.

Paper submission Plan

**Best Presentation** 

**Contribution track** 

ICABU WG1. Accelerator Systems

Primary author: KIM, Beom Jun (Pohang Accelerator Laboratory)

**Co-authors:** KIM, Dong-Eon (PAL); HAHN, Garam (Pohang Accelerator Laboratory, POSTECH); CHUN, Inwoo ((PAL) Pohang Acceleration Laboratory); KIM, Min Jae (Pohang Accelerator Laboratory (PAL)); LEE, Woulwoo (PAL); CHOI, Yoongeol (Pohang Accelerator Laboratory (PAL)); JUNG, Young Gyu (Pohang Accelerator Laboratory (PAL))

Presenter: KIM, Beom Jun (Pohang Accelerator Laboratory)

Session Classification: ICABU Poster Session

Track Classification: ICABU: ICABU WG1. Accelerator Systems